Chemical Communications c6cc06072b



Photochemical site-selective synthesis of [70]methanofullerenes

Sara Vidal, Marta Izquierdo, Wai Kit Law, Kui Jiang, Salvatore Filippone, Josefina Perles, He Yan* and Nazario Martín*

Methanofullerenes such as the well-known [70]PCBM are commonly synthesized under harsh conditions to obtain the product as a mixture of site-isomers (namely α, β and minor γ) due to the D_{5h} symmetry of the C_{70} cage.

Q1 Q2 Q5

Please check this proof carefully. **Our staff will not read it in detail after you have returned it.**

Translation errors between word-processor files and typesetting systems can occur so the whole proof needs to be read. Please pay particular attention to: tabulated material; equations; numerical data; figures and graphics; and references. If you have not already indicated the corresponding author(s) please mark their name(s) with an asterisk. Please e-mail a list of corrections or the PDF with electronic notes attached – do not change the text within the PDF file or send a revised manuscript. Corrections at this stage should be minor and not involve extensive changes. All corrections must be sent at the same time.

Please bear in mind that minor layout improvements, e.g. in line breaking, table widths and graphic placement, are routinely applied to the final version.

Please note that, in the typefaces we use, an italic vee looks like this: ν, and a Greek nu looks like this: ν.

We will publish articles on the web as soon as possible after receiving your corrections; **no late corrections will be made.**

Please return your **final** corrections, where possible within **48 hours** of receipt, by e-mail to: chemcomm@rsc.org

Queries for the attention of the authors

Journal: **ChemComm**

Paper: **c6cc06072b**

Title: **Photochemical site-selective synthesis of [70]methanofullerenes**

Editor's queries are marked on your proof like this Q1, Q2, etc. and for your convenience line numbers are indicated like this 5, 10, 15, ...

Please ensure that all queries are answered when returning your proof corrections so that publication of your article is not delayed.

Query reference	Query	Remarks
Q1	For your information: You can cite this article before you receive notification of the page numbers by using the following format: (authors), Chem. Commun., (year), DOI: 10.1039/c6cc06072b.	
Q2	Please carefully check the spelling of all author names. This is important for the correct indexing and future citation of your article. No late corrections can be made.	
Q3	Please check that the inserted CCDC number is correct.	
Q4	Do you wish to add an e-mail address for the corresponding author? If so, please supply the e-mail address.	
Q5	Please check that the inserted Graphical Abstract text is suitable. Please ensure that the text fits between the two horizontal lines.	

ChemComm

COMMUNICATION

Photochemical site-selective synthesis of [70]methanofullerenes†

Cite this: DOI: 10.1039/c6cc06072b

Received 22nd July 2016,
Accepted 28th September 2016

DOI: 10.1039/c6cc06072b

www.rsc.org/chemcomm

Sara Vidal,[a] Marta Izquierdo,[a] Wai Kit Law,[b] Kui Jiang,[b] Salvatore Filippone,[a] Josefina Perles,[c] He Yan*[b] and Nazario Martín*[ad]

Methanofullerenes such as the well-known [70]PCBM are commonly synthesized under harsh conditions to obtain the product as a mixture of site-isomers (namely α, β and minor γ) due to the D_{5h} symmetry of the C_{70} cage. We report the first site-selective synthesis of [70]methanofullerenes under light irradiation and low temperatures, thus avoiding time-consuming and highly expensive HPLC separations. Pure major site-isomers α-[70]PCBM and α-[70]DPM have been thus efficiently prepared including the crystal structure of 5b. Photovoltaic preliminary results revealed a slightly beneficial performance for α-pure [70]PCBM site-isomer devices.

Polymer-based plastic solar cells have emerged in the last decade as a low-cost complement/alternative to the classical silicon photovoltaic devices. The main approach to improving the photo-conversion efficiency in organic solar cells is based on a bulk heterojunction (BHJ) architecture, in which the donor–acceptor interaction at the interface is maximized.[1] Fullerene derivatives, such as the well-known [60]PCBM ([6,6]-phenyl C_{61} butyric acid methyl ester),[2] and diphenylmethano[60]fullerene [60]DPM,[3] have been extensively used as electron acceptor materials in BHJ due to their exceptional optoelectronic properties.[4,5] Higher fullerenes such as C_{70} display better light absorption in the visible region of the solar spectrum than [60]fullerene derivatives resulting in higher photocurrent (J_{sc}).[6] For instance, the J_{sc} value of [70]PCBM is 50% higher when compared to its [60]PCBM analog.[7,8] Other higher fullerenes, namely [84]PCBM, showed a low solubility and significantly lower conversion efficiencies.[9]

Many efforts have been made in improving the power conversion efficiency (PCE) of organic photovoltaic devices (OPVs). Material properties such as light absorption, HOMO–LUMO energy levels, nano-morphology and the segregation degree, just to name a few, are strongly related to the efficiency of the device.[10] On the other hand, there are several examples of fullerene bisadducts in which some regioisomerically pure derivatives exhibited higher PCE values than those of the corresponding isomeric mixtures.[11] Thus, control on the isomeric purity of the involved photo- and electroactive materials may be crucial to enhance a suitable molecular organization of the photoactive layer in the device.[12] However, there are not many examples that illustrate the correlation between morphology and device performance. One of the reasons for the shortage of these studies is the lack of straightforward and selective methods affording isomerically pure compounds.

Controlling the morphology of the devices fabricated with [70]fullerene derivatives is a challenge because only a few synthetic methods lead to isomeric pure C_{70} derivatives.[13,14] Unlike C_{60}, the C_{70} cage is constituted by four non-equivalent double bonds (namely: α, β, γ and δ; Fig. 1) which should, in principle, lead to four site-isomers that could be isolated only by tedious and time-consuming HPLC techniques.[15] Thus, most of the C_{70} based OPV devices are typically formed by an isomeric mixture of C_{70} derivatives in which usually the α and β site-isomers are the most abundant with tiny amounts of the γ isomer.[16]



Fig. 1 Drawing of pristine C_{70} indicating the four different double bonds (α, β, γ, δ).

[a] Organic Chemistry Department, Complutense University of Madrid, Avda. Complutense s/n, 28040 Madrid, Spain
[b] Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
[c] Single Crystal X-ray Diffraction Laboratory, Interdepartmental Research Service (SIdI), Autonomous University of Madrid, Cantoblanco, 28049 Madrid, Spain
[d] IMDEA–Nanoscience, Cantoblanco, 28049 Madrid, Spain

† Electronic supplementary information (ESI) available: Experimental procedures, characterization, solar cell fabrication, X-ray data and device performance details. CCDC 1493981. For ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/c6cc06072b

Here, we report for the first time a new methodology to obtain methanofullerenes, ([70]PCBM and [70]DPM derivatives) with a high control of the site-selectivity under mild conditions. In addition, we describe for the first time the X-ray structure of a [70]DPM derivative (the α-site-isomer **5b**).

The classic procedure to obtain methanofullerenes such as [70]PCBM is based on the Bamford–Stevens reaction and has previously been reported by Hummelen *et al.*[16] This reaction involves the generation *in situ* of a diazocompound by thermolysis of tosylhydrazone with alkali salts. The subsequent addition to C_{70} leads to a mixture of two site-isomers (75 : 25, α : β).[16] Since this procedure is carried out under drastic conditions, that is, strong bases and refluxing *ortho*-dichlorobenzene (*o*-DCB), it is not considered a suitable method to reach isomeric purity. In addition, the purification of the site-isomers from the reaction crude is not possible by silica gel chromatography, and only by using time- and solvent-consuming HPLC separation it is possible to isolate the α from the β site-isomer.

The lack of a selective synthetic method able to discriminate between site-isomers encourages us to develop a new and unprecedented methodology based on light irradiation under mild conditions, thus having a control on the site-selectivity.

The tosylhydrazone PCBM precursor was transformed into the corresponding diazocompound derivative in order to take advantage of the milder conditions offered by fullerene photochemistry (see the ESI,† page 2S).[12,17]

A solution of C_{70} and the alkylaryl-diazocompound **1** in dry toluene was irradiated at λ = 360 nm at −78 °C for 4 hours to afford compound **2** (α-site-isomer) as the main product together with **a** small amount of **3** (β-site-isomers). The monoadducts were isolated from unreacted C_{70} and bisadducts by silica gel column chromatography (Scheme 1).

The isomeric purity was determined by NMR and HPLC resulting in a α : β ratio of 96 : 4 (Fig. S13, ESI†). As expected, site-isomer **2** was obtained as an enantiomeric mixture, whereas site-isomer **3** is formed by two different diastereoisomers (**3a** and **3b**), depending on the orientation of the ester group on an equatorial (**3a**) or polar (**3b**) position on the fullerene cage[15] (Scheme 1).

To analyze the scope of this new methodology, the reaction was also carried out with diaryl-diazocompounds. These compounds are highly reactive and have been shown to behave differently from the alkylaryl-diazocompounds.[12,17] When diazocompound **4** was irradiated at 360 nm in the presence of C_{70}, the α-site-isomer **5** was exclusively formed (Scheme 2).



Scheme 1 Selective synthesis of α-[70]PCBM by photochemical reaction.



Scheme 2 Selective synthesis of α-site-isomer **5** by photochemical reaction.



Fig. 2 ^{1}H-NMR (300 MHz, 298 K, $CDCl_3$) spectra of compounds **5a** (α-site-isomer, red) and **6** (β-site-isomer, blue) obtained by the classical thermal treatment (top, ratio α : β, 75 : 25) and by the new photochemical method (bottom, 100% α-site-isomer).

Diphenylmethano[70]fullerenes ([70]DPMs) (**5ab**) were also characterized by those standard techniques used for **2** and **3**. The selectivity of this reaction was determined by HPLC and NMR spectroscopy. As expected, diazocompound **5** is more reactive than the PCBM precursor alkylaryl-diazocompound **1**, and only −20 °C (instead of −78 °C) was low enough to reach an excellent selectivity, 100% of the α-site-isomer (**5ab**), whereas the corresponding β-site-isomers (**6ab**) were not observed (Fig. 2).

In contrast to the β-site-isomers, the ^{1}H-NMR spectra of compounds **5ab** exhibit only one set of signals evidencing the plane of symmetry across the α-bond.

The electrochemical properties of products **2**, **3** and **5** were studied by cyclic voltammetry using *o*-DCB/MeCN (4 : 1) as the solvent at room temperature and tetrabutylammonium hexafluorophosphate as the supporting electrolyte (Fig. 3).

As expected, the first reduction potential of all monoadducts [**2**, **3**, **5a** and **5b** ($E_1^{1/2}$ = −1.13, −1.14, −1.13 and −1.13 V, respectively)]



Fig. 3 Cyclic voltammetry of products **2** and **3**.

were approximately 130 mV higher than that observed for pristine C_{70} ($E_1^{1/2} = -1.00$ V). Interestingly, both isomers exhibit the same first reduction potential values within the experimental error. As is well-known, the LUMO level is directly related to the V_{oc} parameter, which is directly correlated with the cell efficiency. In Table S1 (ESI†) the values of the reduction potential values observed for the pure compounds and their respective isomeric mixtures are shown (see the ESI†).

As preliminary results, some devices were fabricated from the pure α-[70]PCBM isomer which was obtained from the product mixture (α : β, 96 : 4) by HPLC. For comparison purposes, the commercially available isomeric mixture (Solenne, with an isomer composition of 83% α and 17% β according to HPLC measurements) was used for the device fabrication.



Fig. 4 *J*–*V* graphs for pure α-[70]PCBM (red) and the Solenne isomeric mixture (black).

The two sets of comparison are given in Fig. 4 and Table 1. As expected, the devices fabricated from pure α-[70]DPM6 exhibited lower efficiency values than those obtained for pure α-[70]PCBM (see the ESI†).

For the blend, the PffBT4T-2OD polymer was used, which is one of the most successful polymers, reaching solar energy conversion efficiencies as high as ~10% in polymer:fullerene bulk heterojunction solar cells.[18] In this study, the devices were fabricated from PffBT4T-2OD with two different [70]PCBM fullerene samples. The first one was the [70]PCBM mixture from a commercial source (Solenne) and the second one was the pure α-[70]PCBM site-isomer from this study. The average efficiency was calculated from three batches of devices from three days. Comparing the pure α-site-isomer with the mixture of site-isomers, no significant difference in the photovoltaic parameters was observed. Thus, the studied systems showed a remarkable V_{oc} as well as J_{sc} values, with PCEs of 6.45% for the commercial sample (Solenne) and 6.63% for the pure α-[70]PCBM site-isomer. Although more studies mostly involving aspects of the materials used such as morphology, crystallinity, the isomeric ratio in the blend and the polymer/fullerene ratio, as well as other fabrication device conditions are needed, the only conclusion at this stage is that based on the above experimental pieces of evidence, the use of the pure α-site-isomer produces a small but persistent benefit on the device performance. These experimental findings are also supported by the integrated current for the EQE for PffBT4T-2OD/α-[70]PCBM when compared with that of the Solenne mixture (14.72 *vs.* 14.03, see the ESI†).

α pure monoadduct **5b** was unambiguously characterized by single crystal X-ray diffraction. The structure was solved in the monoclinic $P2_1/c$ and the asymmetric unit contains a formula unit ($C_{95}H_{34}O_2$) as depicted in Fig. 5a and Fig. S18 (ESI†). The C_{70} moiety displays a high degree of disorder, as is usual in this type of compound, and there is also some disorder in the terminal carbon atoms from the two alkyl chains. Details of the data collection and refinement can be found in the ESI.† There is a supramolecular C–H···O interaction between neighbour molecules in the [001] direction that yields 1D chains (Fig. 5b). On the other hand, a π–π interaction is also present between the bottom C_6 rings (defined by atoms C53F, C54F, C55F, C56F, C67F and C68F) in the C_{70} fullerene. These rings are completely parallel and located at a distance of 3.199 Å, with their centroids displaced from each other and separated by 3.807 Å. Each pair of molecules displaying this interaction are related by an inversion centre from the ones located in the middle of the *b* and *c* cell vectors (see Fig. S20, ESI†).

We have successfully prepared, isolated, and characterized [70]fullerene derivatives with a remarkable high isomeric purity

Table 1 Average PCE% reached in a polymer:fullerene BHJ solar cell using the pure α-[70]PCBM isomer and a commercially available isomeric mixture. Polymer Y5 : PffBT4T-2OD

Active layer	V_{oc} (V)	J_{sc} (mA cm^{-2})	FF (%)	PCE (%)	Best PCE (%)
Y5/α[70]PCBM	0.78 ± 0.07	14.83 ± 0.91	0.57 ± 0.03	6.63 ± 0.72	7.96
Y5/Solenne [70]PCBM	0.76 ± 0.01	14.62 ± 1.10	0.57 ± 0.04	6.45 ± 0.66	7.65



Fig. 5 (a) Molecular plot of compound **5b**. (b) Details of the hydrogen bonds in the solid state structure of **5b**. These supramolecular interactions yield chains in the [001] direction.

in two different systems, namely α-[70]PCBM and α-[70]DPM (including the X-ray structure of the α-derivative, compound **5b**). This new synthetic methodology to achieve selectively α-site-isomers is carried out under mild conditions using photoactivation. This unprecedented approach avoids time- and solvent-consuming HPLC separations that are usually employed in obtaining these products. As should be expected, the isomerically pure system may affect the morphology and, therefore, the performance of the devices. According to our preliminary results, pure α-[70]PCBM and its isomeric mixture obtained from commercial sources (Solenne) were tested in BHJ solar cells showing a slightly beneficial influence on the final device efficiency.

This work was supported by the European Research Council ERC-320441-Chirallcarbon, Ministerio de Economía y Competitividad (MINECO) of Spain (project CTQ2014-52045-R) and the CAM (FOTOCARBON project S2013/MIT-2841). M. I. thanks the Ministerio de Economía y Competitividad (MINECO) of Spain (Juan de la Cierva-Incorporación IJCI-2014-19320). N. M. thanks the Alexander von Humboldt Foundation.

Notes and references

1 (*a*) Y. Huang, E. J. Kramer, A. J. Heeger and G. C. Bazán, *Chem. Rev.*, 2014, **114**, 7006; (*b*) J. L. Delgado, P. A. Bouit, S. Filippone, M. A. Herranz and N. Martín, *Chem. Commun.*, 2010, **46**, 4853.
2 (*a*) J. C. Hummelen, B. W. Knight, F. LePeq, F. Wudl, J. Yao and C. L. Wilkins, *J. Org. Chem.*, 1995, **60**, 532; (*b*) L. Dou, J. You, J. Yang, C.-C. Chen, Y. He, S. Murase, T. Moriarty, K. Emery, G. Li and Y. Yang, *Nat. Photonics*, 2012, **6**, 180; (*c*) Y. Matsuo, *Chem. Lett.*, 2012, **41**, 754.
3 (*a*) A. Sánchez-Díaz, M. Izquierdo, S. Filippone, N. Martín and E. Palomares, *Adv. Funct. Mater.*, 2010, **20**, 2695; (*b*) G. García-Belmonte, P. P. Boix, J. Bisquert, M. Lenes, H. J. Bolink, A. La Rosa, S. Filippone and N. Martín, *J. Phys. Chem. Lett.*, 2010, **1**, 2566; (*c*) D. Fernández, A. Viterisi, J. W. Ryan, F. Gispert-Guirado, S. Vidal, S. Filippone, N. Martín and E. Palomares, *Nanoscale*, 2014, **6**, 5871.
4 (*a*) N. S. Sariciftci, L. Smilowitz, A. J. Heeger and F. Wudl, *Science*, 1992, **5087**, 1474; (*b*) G. Yu, J. Gao, J. C. Hummelen, F. Wudl and A. J. Heeger, *Science*, 1995, **270**, 1789.
5 J.-F. Nierengarten, in *Fullerenes: From Synthesis to Optoelectronic Properties*, ed. D. M. Guldi and N. Martín, Kluwer Acad. Publishers, Netherlands, 2002, ch. 2, pp. 51–79.
6 S. Pfuetzner, J. Meiss, A. Petrich, M. Riede and K. Leo, *Appl. Phys. Lett.*, 2009, **94**, 223307.
7 B. C. Thompson and J. M. J. Frechet, *Angew. Chem., Int. Ed.*, 2008, **47**, 58.
8 D. Mühlbacher, M. Scharber, M. Morana, Z. Zhu, D. Waller, R. Gaudiana and C. Brabec, *Adv. Mater.*, 2006, **18**, 2884.
9 F. B. Kooistra, V. D. Mihailetchi, L. M. Popescu, D. Kronholm, P. W. M. Blom and J. C. Hummelen, *Chem. Mater.*, 2006, **18**, 3068.
10 M. T. Dang, L. Hirsch, G. Wantz and J. D. Wuest, *Chem. Rev.*, 2013, **113**, 3734.
11 (*a*) W. W. H. Wong, J. Subbiah, J. M. White, H. Seyler, B. Zhang, D. J. Jones and A. B. Holmes, *Chem. Mater.*, 2014, **26**, 1686; (*b*) R. Tao, T. Umeyama, K. Kurotobi and H. Imahori, *ACS Appl. Mater. Interfaces*, 2014, **6**, 17313.
12 X. Meng, G. Zhao, Q. Xu, Z. Tan, Z. Zhang, L. Jiang, C. Shu, C. Wang and Y. Li, *Adv. Funct. Mater.*, 2014, **24**, 158.
13 (*a*) C. Thilgen and F. Diederich, *Top. Curr. Chem.*, 1999, **199**, 135; (*b*) S. Vidal, M. Izquierdo, S. Filippone, F. G. Brunetti and N. Martín, *Chem. Commun.*, 2015, **51**, 16774; (*c*) Y. Wang, D. I. Schuster, S. R. Wilson and C. J. Welch, *J. Org. Chem.*, 1996, **61**, 5198.
14 (*a*) M. R. Cerón, M. Izquierdo, Y. Pi, S. L. Atehortúa and L. Echegoyen, *Chem. – Eur. J.*, 2015, **21**, 7881; (*b*) M. R. Cerón, M. Izquierdo, A. Aghabali, A. J. Valdez, K. B. Ghiassi, M. M. Olmstead, A. L. Balch, F. Wudl and L. Echegoyen, *J. Am. Chem. Soc.*, 2015, **137**, 7502; (*c*) R. Tao, T. Umeyama, T. Higashino, T. Koganezawa and H. Imahori, *ACS Appl. Mater. Interfaces*, 2015, **7**, 16676; (*d*) M. R. Cerón, M. Izquierdo, A. Aghabali, S. P. Vogel, M. M Olmstead, A. L. Balch and L. Echegoyen, *Carbon*, 2016, **105**, 394.
15 For a discussion on site- and regio-selectivity, see: E. E. Maroto, A. de Cózar, S. Filippone, A. Martín-Domenech, M. Suárez, F. P. Cossío and N. Martín, *Angew. Chem., Int. Ed.*, 2011, **50**, 6060.
16 M. M. Wienk, J. M. Kroon, W. J. H. Verhees, J. Knol, J. C. Hummelen, P. A. van Hal and R. A. J. Janssen, *Angew. Chem., Int. Ed.*, 2003, **42**, 3371.
17 M. Izquierdo, M. R. Cerón, M. M Olmstead, A. L. Balch and L. Echegoyen, *Angew. Chem., Int. Ed.*, 2013, **52**, 11826.
18 Y. H. Liu, J. B. Zhao, Z. K. Li, C. Mu, W. Ma, H. W. Hu, K. Jiang, H. R. Lin, H. Ade and H. Yan, *Nat. Commun.*, 2014, **5**, 5293.

